Homework 2

Due in class Sept. 2

From Shankar: Exercises 1.7.2, 1.8.2, 1.8.3, 1.8.7, 1.8.10, and

6. Given the following Hamiltonians in 3D space, state the conserved quantities (if any):

$$H = -\frac{\hbar^2}{2m} \nabla^2 \tag{1}$$

$$H = -\frac{\hbar^2}{2m}\nabla^2 + eEz \tag{2}$$

$$H = -\frac{\hbar^2}{2m}\nabla^2 - \frac{1}{4\pi\epsilon_0}\frac{Ze^2}{r}$$
(3)

$$H = -\frac{\hbar^2}{2m}\nabla^2 + \frac{1}{2}m\omega^2(x^2 + y^2 + z^2)$$
(4)

$$H = -\frac{\hbar^2}{2m}\nabla^2 + \alpha\sin(\omega t)r^2 \tag{5}$$

where m, e, E, Z, ω , and α are constants.

Extra credit: What quantitities are conserved for the following Hamiltonian

$$H = -\frac{\hbar^2}{2m_1}\nabla_1^2 - \frac{\hbar^2}{2m_2}\nabla_2^2 + \frac{1}{2}m\omega^2|\mathbf{r}_1 - \mathbf{r}_2|^2$$

with m_i and ω constants?

Supplemental reading:

Review Chap. 2, especially Hamiltonians and Sec. 2.8. Review Chap. 3 — motivation for quantum mechanics.